

Bizarre and unusual uses of DNS

**Rule 53: If you can think of it,
someone's done it in the DNS**



Peter Lowe

Principal Security Researcher | DNSFilter

Hello

- **Alternative titles:**
- The things people do with DNS
- 20 Wacky DNS Tricks - #5 will SHOCK YOU
- DNS Museum
- Went with something clickbaity in the end

Why

Not my fault

- It's John Todd's fault really
- DNS Abuse SIG work - first.org/global/sigs/dns
- Rule 34 implies that thinking of something brings it into existence...
- ... so let's not suggest anything too out there

Caveats

And notes

- Most not around anymore
- Thought I'd have more time for this talk
- Links at the end
- I'm terrible at slides

Traceroutes

OK, so maybe not 100% DNS...

Traceroutes

Star Wars

From Ryan Werber at beagle.net in
Feb 11th 2013

Down because of DDoS

IPv6 versions popped up

Gone but not forgotten

```
13 70 ms 79 ms 77 ms Episode.IV [206.214.251.1]
14 75 ms 70 ms 70 ms A.NEW.HOPE [206.214.251.6]
15 74 ms 82 ms 71 ms It.is.a.period.of.civil.war [206.214.251.9]
16 75 ms 85 ms 74 ms Rebel.spaceships [206.214.251.14]
17 78 ms 71 ms 70 ms striking.from.a.hidden.base [206.214.251.17]
18 71 ms 70 ms 76 ms have.won.their.first.victory [206.214.251.22]
19 73 ms 71 ms 79 ms against.the.evill.Galactic.Empire [206.214.251.25]
20 91 ms 91 ms 81 ms During.the.battle [206.214.251.30]
21 85 ms 90 ms 84 ms Rebel.spies.managed [206.214.251.33]
22 78 ms 97 ms 102 ms to.steal.secret.plans [206.214.251.38]
23 105 ms 99 ms 81 ms to.the.Empires.ultimate.weapon [206.214.251.41]
24 70 ms 73 ms 67 ms the.OMG.SPA [206.214.251.46]
25 77 ms 74 ms 69 ms an.armored.space.station [206.214.251.49]
26 67 ms 83 ms 72 ms with.enough.power.to [206.214.251.54]
27 80 ms 71 ms 72 ms destroy.an.entire.planet [206.214.251.57]
28 76 ms 71 ms 71 ms Pursued.by.the.Empires [206.214.251.62]
29 75 ms 71 ms 74 ms sinister.agents [206.214.251.65]
30 81 ms 70 ms 80 ms Princess.Laia.ruces.home [206.214.251.70]
31 78 ms 73 ms 72 ms aboard.her.starship [206.214.251.73]
32 74 ms 71 ms 72 ms custodian.of.the.stolen.plans [206.214.251.78]
33 81 ms 77 ms 72 ms that.can.save.her [206.214.251.81]
34 74 ms 73 ms 75 ms people.and.restore [206.214.251.86]
35 73 ms 72 ms 74 ms freedom.to.the.galaxy [206.214.251.89]
36 70 ms 70 ms 72 ms -----0 [206.214.251.94]
37 71 ms 72 ms 78 ms -----0 [206.214.251.97]
38 76 ms 71 ms 81 ms -----0 [206.214.251.102]
39 74 ms 70 ms 71 ms -----0 [206.214.251.105]
40 72 ms 71 ms 73 ms -----0 [206.214.251.110]
41 75 ms 77 ms 72 ms -----0 [206.214.251.113]
42 72 ms 73 ms 79 ms -----0 [206.214.251.118]
43 75 ms 71 ms 71 ms -----0 [206.214.251.121]
44 75 ms 78 ms 72 ms -----0 [206.214.251.126]
45 70 ms 76 ms 73 ms -----0 [206.214.251.129]
46 85 ms 76 ms 78 ms -----0 [206.214.251.134]
47 75 ms 70 ms 72 ms -----0 [206.214.251.137]
48 70 ms 78 ms 76 ms -----0 [206.214.251.142]
49 81 ms 72 ms 71 ms -----0 [206.214.251.145]
50 74 ms 76 ms 72 ms -----0 [206.214.251.150]
51 77 ms 77 ms 77 ms -----0 [206.214.251.153]
52 72 ms 77 ms 73 ms -----0 [206.214.251.158]
53 74 ms 77 ms 75 ms -----0 [206.214.251.161]
54 78 ms 75 ms 78 ms -----0 [206.214.251.166]
55 70 ms 74 ms 84 ms -----0 [206.214.251.169]
56 84 ms 75 ms 76 ms -----0 [206.214.251.174]
57 77 ms 77 ms 75 ms By.Ryan.Werber [206.214.251.177]
58 70 ms 87 ms 73 ms When.CCIBs.Get.Bored [206.214.251.182]
59 72 ms 76 ms 75 ms CCIE.38168 [206.214.251.185]
60 77 ms 77 ms 71 ms FIN [216.81.59.173]
```


hand.bb0.nl

```
nsl@edge-fra:~$ traceroute -m 35 hand.bb0.nl
traceroute to hand.bb0.nl (2a0e:fd45:2a0a:2::cafe), 35 hops max, 80 byte packets
 1 ptp-core2edge.l2.fra.bb0.nl (2a0e:fd45:2a00:1::7)  8.364 ms  8.241 ms  8.169 ms
 2 ptp-dro-fra.l2.dro.bb0.nl (2a0e:fd45:2a00:1::3)  17.471 ms  17.481 ms  17.416 ms
 3 el9-vlan1-upg.vzm2.dro.bb0.nl (2a0e:fd45:2a0a:b::a)  18.913 ms  18.852 ms  18.841 ms
-----
 4      36936936936936936936          (2a0e:f4d5:2a0a:2::ca01)  20.263 ms  20.189 ms  20.479 ms
 5      36936936936936936936          (2a0e:f4d5:2a0a:2::ca02)  20.663 ms  20.886 ms  21.283
 6      36936936936936936936          (2a0e:f4d5:2a0a:2::ca03)  21.773 ms  18.223 ms  18.479 ms
 7      3693693693693693693693        (2a0e:f4d5:2a0a:2::ca04)  18.801 ms  19.679 ms  19.703 ms
 8      36936936936936936936936936    (2a0e:f4d5:2a0a:2::ca05)  19.915 ms  19.794 ms  19.697 ms
 9      36936936936936936936936936    (2a0e:f4d5:2a0a:2::ca06)  19.916 ms  20.265 ms  20.784 ms
10     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca07)  20.911 ms  21.158 ms  21.278 ms
11     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca08)  21.569 ms  22.065 ms  22.013 ms
12     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca09)  22.368 ms  22.581 ms  19.652 ms
13     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca0a)  23.370 ms  25.254 ms  20.875 ms
14     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca0b)  20.260 ms  20.491 ms  20.764 ms
15     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca0c)  20.881 ms  21.338 ms  21.885 ms
16     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca0d)  21.500 ms  21.930 ms  22.333 ms
17     3693333693693693693693693699    (2a0e:f4d5:2a0a:2::ca0e)  22.509 ms  22.899 ms  23.105 ms
18     6933693693693693693693693699    (2a0e:f4d5:2a0a:2::ca0f)  19.232 ms  19.489 ms  19.793 ms
19     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca10)  20.674 ms  20.390 ms  20.845 ms
20     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca11)  21.083 ms  21.577 ms  22.128 ms
21     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca12)  22.193 ms  22.975 ms  23.920 ms
22     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca13)  23.450 ms  24.425 ms  25.414 ms
23     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca14)  25.387 ms  19.247 ms  19.189 ms
24     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca15)  19.578 ms  19.287 ms  19.722 ms
25     6936936936936936936936936999    (2a0e:f4d5:2a0a:2::ca16)  19.712 ms  20.174 ms  20.335 ms
26     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca17)  20.771 ms  21.114 ms  21.133 ms
27     _000000000000000000000000000000_ (2a0e:f4d5:2a0a:2::ca18)  21.420 ms  21.789 ms  22.128 ms
28     _0_ the_traceroute_hand_is _0_       (2a0e:f4d5:2a0a:2::ca19)  22.262 ms  22.554 ms  18.943 ms
29     _0_ stealing_your_data _0_           (2a0e:f4d5:2a0a:2::ca1a)  19.189 ms  19.515 ms  24.880 ms
30     _0_ _0_ _0_ _0_ _0_ _0_ _0_         (2a0e:f4d5:2a0a:2::ca1b)  25.154 ms  25.564 ms  26.128 ms
31     _000000000000000000000000000000_ (2a0e:f4d5:2a0a:2::ca1c)  26.494 ms  26.649 ms  27.711 ms
32     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca1d)  27.132 ms  27.972 ms  28.546 ms
33     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca1e)  29.140 ms  28.616 ms  29.609 ms
34     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca1f)  19.518 ms  19.352 ms  20.277 ms
35     3693693693693693693693693699    (2a0e:f4d5:2a0a:2::ca20)  19.472 ms  19.377 ms  19.668 ms
```

Traceroutes

Euro 2020

Sebastian Haas'
"fakert" that creates a
TUN device

IP range routed to
where the fakert is
running

@_sehaas on Twitter

```
Terminal — zsh — 143x30
➔ ~ traceroute6 euro2020.austrian.soccer
traceroute to euro2020.austrian.soccer (2a03:4000:50:b5c:2020::99), 30 hops max, 80 byte packets
 1 R16-WAL-xx-xx-DEN---ITA-xx-xx-AUT---NED-xx-xx-CZE---BEL-xx-xx-POR.austrian.soccer (2a03:4000:50:b5c:2020::a1) 0.502 ms 0.350 ms 0.324 ms
 2 R16-CRO-xx-xx-ESP---FRA-xx-xx-SUI---ENG-xx-xx-GER---SWE-xx-xx-UKR.austrian.soccer (2a03:4000:50:b5c:2020::a2) 0.292 ms 0.272 ms 0.260 ms
 3 QUATER-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----Q.austrian.soccer (2a03:4000:50:b5c:2020::a3) 0.248 ms 0.218 ms 0.218 ms
 4 QUATER-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----Q.austrian.soccer (2a03:4000:50:b5c:2020::a4) 0.205 ms 0.193 ms 0.160 ms
 5 SEMI-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----S.austrian.soccer (2a03:4000:50:b5c:2020::a5) 0.146 ms 0.135 ms 0.124 ms
 6 FINAL-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----F.austrian.soccer (2a03:4000:50:b5c:2020::a6) 0.094 ms 0.233 ms 0.199 ms
 7 WINNER-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----W.austrian.soccer (2a03:4000:50:b5c:2020::a7) 0.191 ms 0.186 ms 0.157 ms
 8 euro2020.austrian.soccer (2a03:4000:50:b5c:2020::99) 9.234 ms 9.231 ms 9.226 ms
➔ ~
```

```
My traceroute [v0.92]
2021-06-25T09:36:22+0200
Keys: Help Display mode Restart statistics Order of fields quit
```

Host	Packets		Pings				
	Loss%	Snt	Last	Avg	Best	Wrst	StDev
1. R16-WAL-xx-xx-DEN---ITA-xx-xx-AUT---NED-xx-xx-CZE---BEL-xx-xx-POR.austrian.soccer	0.0%	11	0.1	0.2	0.1	0.4	0.1
2. R16-CRO-xx-xx-ESP---FRA-xx-xx-SUI---ENG-xx-xx-GER---SWE-xx-xx-UKR.austrian.soccer	0.0%	10	0.2	0.2	0.2	0.3	0.0
3. QUATER-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----Q.austrian.soccer	0.0%	10	0.2	0.2	0.1	0.3	0.1
4. QUATER-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----Q.austrian.soccer	0.0%	10	0.2	0.2	0.0	0.3	0.1
5. SEMI-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----S.austrian.soccer	0.0%	10	0.2	0.2	0.2	0.3	0.0
6. FINAL-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----F.austrian.soccer	0.0%	10	0.2	0.2	0.1	0.4	0.1
7. WINNER-----XXX-xx-xx-XXX-----XXX-xx-xx-XXX-----W.austrian.soccer	0.0%	10	0.2	0.2	0.2	0.3	0.0
8. euro2020.austrian.soccer	0.0%	10	0.2	0.2	0.2	0.3	0.0

```
[root] 0:./fakert- 1:zsh+ "tri" 09:36 25-Jun-21
```


Traceroutes

makerforce.io

By Ambrose Chua

To the tune of "American
Pie"

```
1 *
2 host.dynamic.voo.be 75.408 ms 4.746 ms
3 host.dynamic.voo.be 24.797 ms 8.862 ms 7.920 ms
4 host.dynamic.voo.be 10.954 ms 9.338 ms 8.602 ms
5 2a02:2788:ffff:18::1 32.104 ms 11.161 ms 5.932 ms
6 e0-54.corel.ams2.he.net 15.120 ms * 16.485 ms
7 * * *
8 100ge9-2.corel.par2.he.net 18.813 ms 19.388 ms 34.158 ms
9 100ge2-2.corel.mrs1.he.net 30.247 ms 34.988 ms 36.274 ms
10 100ge14-2.corel.sin1.he.net 171.610 ms 166.838 ms 163.820 ms
11 tserv1.sin1.he.net 166.171 ms 163.923 ms 166.422 ms
12 tunnel409638-pt.tunnel.tserv25.sin1.ipv6.he.net 184.450 ms 186.132 ms 170.982 ms
13 hey.there.my.name.is.ambrose 197.241 ms 174.491 ms 171.213 ms
14 and.i.really.like.computer.networks 167.645 ms 172.592 ms 179.381 ms
15 seems.like.you.like.them.too 172.236 ms 175.729 ms 176.240 ms
16 how.else.would.you.be.here 187.832 ms 201.054 ms 205.484 ms
17 i.knew.it 175.159 ms 173.445 ms 174.957 ms
18 i.knew.it.all.along 178.683 ms 172.275 ms 177.511 ms
19 maybe.i.ll.start.with.some.lyrics 167.188 ms 170.388 ms 168.392 ms
20 a.long.long.time.ago 175.124 ms 173.319 ms 170.774 ms
21 i.could.still.remember 166.268 ms 176.394 ms 168.319 ms
22 when.my.laptop.could.connect.elsewhere 170.340 ms 175.583 ms 176.445 ms
23 and.i.tell.you.all.there.was.a.day 203.471 ms 175.647 ms 179.737 ms
24 the.network.card.i.threw.away 175.205 ms 192.105 ms 169.631 ms
25 had.a.purpose.and.it.worked.for.you.and.me 180.352 ms 189.776 ms 171.628 ms
26 but.29.years.completely.wasted 172.676 ms 174.497 ms 167.763 ms
27 with.each.address.weve.aggregated 180.999 ms 191.620 ms 202.941 ms
28 the.tables.overflowing 170.898 ms 179.537 ms 178.583 ms
29 the.traffic.just.stopped.flowing 177.370 ms 173.273 ms 175.784 ms
30 and.now.were.bearing.all.the.scars 200.170 ms 186.248 ms 183.810 ms
31 and.all.my.traceroutes.showing.stars 180.080 ms 186.954 ms 177.057 ms
32 * * *
33 the.packets.would.travel.faster.in.cars 168.251 ms 174.419 ms 178.223 ms
34 the.day.the.routers.died 176.157 ms 179.607 ms 195.054 ms
```

Traceroutes

bad.horse

**From Dr Horrible's
Sing-Along**

**Bonus: cert chain from
signed.bad.horse**

```
28 that.you.just.sent.in (162.252.205.137) 145.235 ms 140.127 ms 142.031 ms
29 it.needs.evaluation (162.252.205.138) 157.680 ms 158.919 ms 157.703 ms
30 so.let.the.games.begin (162.252.205.139) 166.198 ms 161.045 ms 162.113 ms
31 a.heinous.crime (162.252.205.140) 158.500 ms 159.342 ms 159.434 ms
32 a.show.of.force (162.252.205.141) 171.488 ms 173.116 ms 176.063 ms
33 a.murder.would.be.nice.of.course (162.252.205.142) 168.989 ms 168.968 ms 170.628 ms
34 bad.horse (162.252.205.143) 182.039 ms 181.306 ms 185.953 ms
35 bad.horse (162.252.205.144) 187.067 ms 184.486 ms 174.820 ms
36 bad.horse (162.252.205.145) 193.093 ms 203.858 ms 193.048 ms
37 he-s.bad (162.252.205.146) 194.453 ms 190.647 ms 191.710 ms
38 the.evil.league.of.evil (162.252.205.147) 197.050 ms 196.938 ms 197.654 ms
39 is.watching.so.beware (162.252.205.148) 204.124 ms 196.130 ms 199.735 ms
40 the.grade.that.you.receive (162.252.205.149) 213.120 ms 210.741 ms 211.747 ms
41 will.be.your.last.we.swear (162.252.205.150) 219.164 ms 222.347 ms 221.067 ms
42 so.make.the.bad.horse.gleeful (162.252.205.151) 211.919 ms 296.725 ms 282.108 ms
43 or.he-ll.make.you.his.mare (162.252.205.152) 223.274 ms 218.716 ms 304.596 ms
44 o_o (162.252.205.153) 226.813 ms 225.629 ms 254.561 ms
45 you-re.saddled.up (162.252.205.154) 281.657 ms 236.534 ms 238.029 ms
46 there-s.no.recourse (162.252.205.155) 232.807 ms 233.217 ms 233.022 ms
47 it-s.hi-ho.silver (162.252.205.156) 350.421 ms 251.033 ms 247.865 ms
48 signed.bad.horse (162.252.205.157) 237.987 ms 264.826 ms 239.413 ms
```


Traceroutes

Christmas

Ho

Ho

Ho

```
12 000x00000000.v.000000x0000000 (82.133.91.37) 32.520 ms 85.029 ms 84.417 ms
13 00x000000x00000.mmm.00000000x0000x (82.133.91.18) 28.508 ms 29.413 ms 159.747 ms
14 000x00000000.eeeee.000x00000x0000 (82.133.91.63) 30.813 ms 27.738 ms 28.727 ms
15 0000x00x000x.rrrrrrr.000000x00000x (82.133.91.56) 98.966 ms 26.433 ms 26.304 ms
16 0x000000x00.rrrrrrrrr.000x000000x0 (82.133.91.55) 25.990 ms 25.856 ms 175.046 ms
17 x000x00000.yyyyyyyyy.000x00000x00 (82.133.91.58) 35.091 ms 28.833 ms 27.252 ms
18 00x00000x00000.ccc.00000000x000x00 (82.133.91.96) 33.924 ms 27.624 ms 28.044 ms
19 00000x000.hhhhhhhhhhhh.0x000x0000 (82.133.91.23) 26.037 ms 27.727 ms 27.233 ms
20 00x00x00.rrrrrrrrrrrrr.00x000x00 (82.133.91.49) 27.114 ms 26.809 ms 27.727 ms
21 0x000x0.iiiiiiiiiiiiiiii.000x00x0 (82.133.91.60) 27.393 ms 79.425 ms 35.691 ms
22 000x00.sssssssssssssssss.00x0000 (82.133.91.42) 38.394 ms 26.477 ms 27.073 ms
23 000x000x000000.ttt.0000000000000x00 (82.133.91.61) 26.567 ms 27.164 ms 27.260 ms
24 00x00.mmmmmmmmmmmmmmmmmmmmmmm.000x0 (82.133.91.34) 26.268 ms 26.292 ms 27.335 ms
25 xx00.aaaaaaaaaaaaaaaaaaaaaaaa.0x00 (82.133.91.80) 27.087 ms 26.545 ms 25.758 ms
26 0x0.sssssssssssssssssssssssss.000 (82.133.91.40) 28.201 ms 26.604 ms 31.071 ms
27 00x000000000000.xxx.0000000000000x0 (82.133.91.35) 27.685 ms 34.823 ms 27.358 ms
28 0x000000000000.xxx.0000000000000x0 (82.133.91.10) 26.663 ms 30.052 ms 28.420 ms
29 oh.the.weather.outside.is.frightful (82.133.91.41) 28.655 ms 27.795 ms 28.863 ms
30 but.the.fire.is.so.delightful (82.133.91.19) 26.172 ms 26.577 ms 26.777 ms
31 and.since.weve.no.place.to.go (82.133.91.77) 26.537 ms 28.931 ms 35.163 ms
32 let.it.snow.let.it.snow.let.it.snow (82.133.91.43) 28.258 ms 30.653 ms 43.191 ms
33 xxx (82.133.91.24) 30.019 ms 30.663 ms 31.834 ms
34 it.doesnt.show.signs.of.stopping (82.133.91.36) 26.373 ms 29.913 ms 25.671 ms
35 and.ive.bought.some.corn.for.popping (82.133.91.73) 27.470 ms 26.959 ms 26.904 ms
36 the.lights.are.turned.way.down.low (82.133.91.76) 26.997 ms 28.610 ms 32.095 ms
```

Tools and Toys

Tools and Toys

Calculator

Sadly not around
anymore

There's a reverse
Polish calculator out
there as well

```
dig @dns.postel.org 2.8.add.calc.postel.org +short  
0.10.0.0
```

```
dig @dns.postel.org 8.2.sub.calc.postel.org +short  
0.6.0.0
```

```
dig @dns.postel.org 2.8.mul.calc.postel.org +short  
0.16.0.0
```

```
dig @dns.postel.org 8.2.div.calc.postel.org +short  
0.4.0.0
```

Tools and Toys

"My IP"

Google

```
[pg1-macbook-pro:pg1]:~ $ host -t txt o-o.myaddr.l.google.com ns1.google.com
Using domain server:
Name: ns1.google.com
Address: 216.239.32.10#53
Aliases:
```

```
o-o.myaddr.l.google.com descriptive text "77.97.197.133"
```

OpenDNS

```
[pg1-macbook-pro:pg1]:~ $ dig myip.opendns.com @resolver1.opendns.com +short
77.97.197.133
```


Tools and Toys

"My IP"

THE RUMORS ARE TRUE. GOOGLE
WILL BE SHUTTING DOWN PLUS—
ALONG WITH HANGOUTS, PHOTOS,
VOICE, DOCS, DRIVE, MAPS, GMAIL,
CHROME, ANDROID, AND SEARCH—
TO FOCUS ON OUR CORE PROJECT:
THE 8.8.8.8 DNS SERVER.



IP to ASN mapping

From Team Cymru

Tools and Toys

IP to ASN

```
[pgl-macbook-pro:pgl]:~ $ dig +short 8.8.8.8.origin.asn.cymru.com TXT  
"15169 | 8.8.8.0/24 | US | arin | 1992-12-01"
```

```
[pgl-macbook-pro:pgl]:~ $ dig +short 1.1.1.1.peer.asn.cymru.com TXT  
"1103 2914 3257 7195 | 1.1.1.0/24 | AU | apnic | 2011-08-11"
```

```
[pgl-macbook-pro:pgl]:~ $ dig +short 192.168.0.1.origin.asn.cymru.com TXT  
"23969 | 1.0.128.0/17 | TH | apnic | 2011-04-08"  
"23969 | 1.0.128.0/18 | TH | apnic | 2011-04-08"  
"23969 | 1.0.160.0/19 | TH | apnic | 2011-04-08"  
"23969 | 1.0.168.0/24 | TH | apnic | 2011-04-08"
```

From Team Cymru - similar to Whois but faster

Tools and Toys

Postcodes

```
[pgl-macbook-pro:pgl]:~ $ host -t LOC kt112ra.find.me.uk  
kt112ra.find.me.uk location_51 19 42.141 N 0 23 56.076 W 0.00m 0.00m 0.00m 0.00m
```

```
[pgl-macbook-pro:pgl]:~ $ dig PASSAU.zipde.jpms.net TXT  
  
; <<>> DiG 9.10.6 <<>> PASSAU.zipde.jpms.net TXT  
;; global options: +cmd  
;; Got answer:  
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 2408  
;; flags: qr rd ra; QUERY: 1, ANSWER: 3, AUTHORITY: 0, ADDITIONAL: 1  
  
;; OPT PSEUDOSECTION:  
;; EDNS: version: 0, flags:; udp: 512  
;; QUESTION SECTION:  
;PASSAU.zipde.jpms.net.      IN      TXT  
  
;; ANSWER SECTION:  
PASSAU.zipde.jpms.net. 604800 IN      TXT      "94036"  
PASSAU.zipde.jpms.net. 604800 IN      TXT      "94034"  
PASSAU.zipde.jpms.net. 604800 IN      TXT      "94032"
```


Tools and Toys

dns.toys

Currency conversion (forex)

```
dig 100USD-INR.fx @dns.toys
dig 50CAD-AUD.fx @dns.toys
```

\$Value\$FromCurrency-\$ToCurrency. Daily rates are from [exchangerate.host](#).

Number to words

```
dig 987654321.words @dns.toys
```

Convert numbers to English words.

World time

```
dig mumbai.time @dns.toys
dig newyork.time @dns.toys
dig paris/fr.time @dns.toys
```

Pass city names without spaces suffixed with `.time` optionally.

IP echo

```
dig ip @dns.toys
```

Echo your IP address.

Usable CIDR Range

```
dig 10.0.0.0/24.cidr @dns.toys
dig 2001:db8::/108.cidr @dns.toys
```

Parse CIDR notation to find out first and last usable IP address in the subnet.

From Kailash Nadh, CTO of Zerodha

Tunneling

Geocaching



Dort Nicht Suchen!

A cache by [Mockapetris_1876](#) & [bzlcaché](#) Message this owner Hidden : 08/31/2015

Difficulty: ★★★★★

Size: (micro)

Terrain: ★★★★★

Geocache Description:

stage1.GC615NM.deebas.com

```
[pg1-macbook-pro:pg1]:~ $ host -t txt stage1.GC615NM.deebas.com
stage1.GC615NM.deebas.com descriptive text "hint: reverse of six"
```

From Sebastian Haas:

*Mockapetris himself wasn't involved in the geocache. "Mockapetris_1876" is just a hint to DNS and RFC 1876 :)
The cache is maintained by me.
To solve the complete riddle you have to execute multiple queries (TXT, AAAA, PTR, LOC). You can find the solution in the screenshot.*

Tunneling

Tunneling

General idea

Discussed on
Slashdot back
in 2000

Any record
types

General Approach to DNS tunneling [\[back\]](#)

DNS Tunneling works by abusing DNS records to traffic data in and out of a network. In principle, every type of record can be used, but the speed of the connection differs by the amount of data that can be stored in a single record. Below are some obvious ones:

- **TXT records** allow free-form data and can even include spaces. You can as such store information in it encoded with base64, allowing 220 bytes of data per record. TXT records are intended for "generic" use within the DNS framework. Users can place whichever data in it, as long as it meets the protocol requirements: a maximum length of 255 octets according to RFC 1035. In the recent past, TXT records had virtually been depreciated, which would have enabled highly security conscious environments to discard them at the enterprise DNS server. Today however, they have regained use as the carrier of the antispam-related SPF record.
- **CNAME records** allow only the characters A through Z, digits 0-9 and the hyphen. As such you require base32 encoding and are limited to about 110 bytes per record
- **EDNS0 messages** can be larger than the 512 byte maximum for UDP DNS, and can carry a 1280 byte payload by default. OzyManDNS uses a 768 byte payload for stability
- **A and MX records** can be used as well, but with more limitations. These cannot store all types of data.

<https://www.daemon.be/maarten/dnstunnel.html>

Tunneling

Wikipedia

```
$ host -t txt foo.wp.dg.cx
foo.wp.dg.cx descriptive text "Foo may refer to: Foo, bar, and baz: metasyntactic variables,
\"Foo!\", as a nonstandard spelling to indicate a nonstandard pronunciation, Foo Fighters, a post-
grunge group formed by Dave Grohl, Foo fighters, a World War II term for various UFOs or
mysterio\" \"us aerial phenomena seen in the skies over Europe and the Pacific theatre, Foo, also
a known surname or last name of a... http://a.vu/w:Foo"
```

```
$ dig +short txt '新疆.wp.dg.cx' | perl -pe's/\\(\\d{1,3})/chr $1/eg'
"Xinjiang (Uyghur: , Shinjang\\; \\; Postal map spelling: Sinkiang) is an autonomous region
(Xinjiang Uyghur Autonomous Region) of the People's Republic of China. It is a large, sparsely
populated area (spanning over 1.6 million sq. km) which takes up about on" "e sixth of the
country's territory. Xinjiang borders the Tibet Autonomous Region to the south and Qinghai and
Gansu... http://a.vu/w:Xinjiang"
```

David Leadbetter

Tunneling

Blogging

**Add TXT records
to "publish" a
post**

**By Harshad
Sharm - trying to
"break coder's
block"**

- View latest post:

```
$ dig @127.0.0.1 -p 10053 TXT +short rex.latest  
"# Hello"  
"This is a test."
```

- See recent posts:

```
$ dig @127.0.0.1 -p 10053 TXT +short rex.index  
"Latest: rex.latest"  
"Recent:"  
"  rex.hello"  
"  rex.trying.something.silly"
```

- Read a specific post:

```
$ dig @127.0.0.1 -p 10053 TXT +short rex.trying.something.silly  
"# Woohoo!"  
"This actually works?!"
```


Tunneling

IP over DNS

Erik Eckman -
@yarrick on
GitHub

IPv4 only inside
the tunnel, but
server can listen
on IPv6

Iodine has the
atomic number 53

Try it out within your own LAN! Follow these simple steps:

- On your server, run: `./iodined -f 10.0.0.1 test.com` . If you already use the `10.0.0.0` network, use another internal net like `172.16.0.0` .
- Enter a password.
- On the client, run: `./iodine -f -r 192.168.0.1 test.com` . Replace `192.168.0.1` with your server's ip address.
- Enter the same password.
- Now the client has the tunnel ip `10.0.0.2` and the server has `10.0.0.1` .
- Try pinging each other through the tunnel.
- Done! :)

Tunneling


HTTP over DNS

Jessie Li,
@veggiedefender
on GitHub

HTTP over DNS
over HTTPS?

Browsertunnel can send arbitrary strings over DNS by encoding the string in a subdomain, which is forwarded to the browsertunnel server when the browser attempts to recursively resolve the domain.

gmr02c.16.0.nbswy3dpea5cs000.tunnel.example.com



Longer messages that cannot fit in one domain (253 bytes) are automatically split into multiple queries, which are reassembled and decoded by the server.

ya4iee.40.0.orugs4zanf.zsayjanr.tunnel.example.com

ya4iee.40.18.xw4z3foiqg.2zltonq.tunnel.example.com

ya4iee.40.35.wozi0.tunnel.example.com

Tunneling

VPN over DNS

"Contains ads"

The image displays three screenshots of the SlowDNS application interface, which is used for tunneling VPN traffic over DNS. The interface is orange and white.

Left Screenshot (Login/Config): Shows the 'SlowDNS' app with a 'Free_User_ID_1456243268028' field, a password field (masked with dots), a dropdown menu set to 'free.tg15.nl.1, nl', a 'TunnelGuru.DNS.Server' dropdown, a 'NULL' field, and two input fields for '250' and '40'. There are checkboxes for 'Keep Changing Source Port' and 'Binary Query' (with a question mark icon). At the bottom are 'About' and 'Connect' buttons.

Middle Screenshot (Main Config): Similar to the left screenshot, but the 'TunnelGuru.DNS.Server' dropdown is set to '192.168.1.1'.

Right Screenshot (Server Selection): Shows a 'Select Server (scroll)' list with various server addresses. The list includes: free.tg17.nl.1, free.tg59.nl, free.tg14.nl.1, free.tg13.nl.1, free.tg15.nl.1 (highlighted), free.tg75.nl, free.tg73.nl, free.tg57.wrr, free.tg61.nl, free.tg16.nl.1, free.tg6.nl.1, and free.tg53.wrr.

Tunneling

dnscat2

lagox86 on GitHub, or
"Ron"

Doesn't need a domain

Looks exactly like
normal DNS traffic

```
dnscat2> window -i dns1
New window created: dns1
Starting Dnscat2 DNS server on 0.0.0.0:53531
[domains = skullseclabs.org]...
```

Assuming you have an authoritative DNS server, you can run
the client anywhere with the following:

```
./dnscat2 skullseclabs.org
```

To talk directly to the server without a domain name, run:

```
./dnscat2 --dns server=x.x.x.x,port=53531
```

Of course, you have to figure out <server> yourself! Clients
will connect directly on UDP port 53531.

```
Received: dnscat.9fa0ff178f72686d6c716c6376697968657a6d716800 (TXT)
Sending: 9fa0ff178f72686d6c716c6376697968657a6d716800
Received: d17cff3e747073776c776d70656b73786f646f616200.skullseclabs.org (MX)
Sending: d17cff3e747073776c776d70656b73786f646f616200.skullseclabs.org
```


And more

Bigger things

DNS for config

Corey Quinn

Using Route 53
for config
management

@quinnypig on
Twitter



About the Author

Corey is the Chief Cloud Economist at The Duckbill Group, where he specializes in helping companies improve their AWS bills by making them

Episode Summary

Join me as I launch a new series called Whiteboard Confessional that explores how whiteboard architecture diagrams might look pretty but rarely work as designed in production. To kick off the series, we're taking a look at everyone's favorite database, AWS Route 53, while touching upon a number of topics, including what data centers used to look like, the emergence of virtualization and the impact it had, configuration management databases and how they differ from configuration management tools like Chef and Puppet, why using DNS as a configuration management database is inherently an awful idea, how there's almost always a better solution than whatever you built in your own isolated environment, how just because someone built something doesn't mean they knew what they were doing, and more.


Bigger things

Brands

BIMI records

Really just TXT
records starting
_bimi

<https://bimi.agari.com/>



With brand indicators,
your brand will be
integrated into every
email.

When customers scan
their inboxes, your
email will stand out.

Bigger things

Contacts DB

"Free, unlimited,
unrestricted access to
data about every
company in the UK**"

npm modules, developer
docs

Numprotocol.com

NUM technology



Response time

Data Transfer
NUM: 512 bytes

What is NUM?

A new way to store and retrieve data

NUM is like the Web but for machines. Websites are built for browsing but are an inefficient way to find precise pieces of data like a telephone number, address and more. NUM makes useful data machine-readable so it can be built into devices, apps and services to make your life easier.

NUM is built on top of the Domain Name System (DNS) – a system we all use every day. Watch the 90-second explainer to find out more.

Bigger things

Key-value store

**Generic service offered
to allow people to set
and retrieve values**

**Not sure who's behind
this!**



DNS Key Value Storage (dnskv.com)

The packet messaging service for true hackers. Simple and free to use.

Too complex? See: [simplified tutorial](#)

Structure:

- Suffix all names with this domain
- options.value.key.


Insert:

- value.key.

Bigger things

DNSFS

Putting data into cache



Ben Cox, benjojo.co.uk

Bigger things

MP3s

One
use of
DNSFS

...



Ben Cox
@Benjojo12

Replying to @Manawyrm

oh god that actually works. Here is a bash 1 liner:

```
let counter=0; while true; do sleep 1; dig TXT +short  
$counter.mp3.nodialtone.de @ns1.resellerinterface.de  
| tr -d ' ' | tr -d '"' | base64 -d; let counter++; done | vlc  
-
```

Links

<https://github.com/sehaas/fakert> - Sebastian Haas' fakert
<https://beaglenetworks.net/post/42707829171/star-wars-traceroute> - Star Wars traceroute
<https://dgl.cx/wikipedia-dns> - Wikipedia over DNS
<https://www.youtube.com/watch?v=y36fG2Oha0> - The Day The Router Died
<https://www.youtube.com/watch?v=O03k0DV2m1k> - Bad Horse
<https://asciinema.org/a/15020> - Christmas traceroute
<https://team-cymru.com/community-services/ip-asn-mapping/#dns> - IP to ASN mapping
<https://www.cambus.net/interesting-dns-hacks/> - few things including the calculator, My IP
<https://ipmens.net/2020/10/04/airports-of-the-world/> - Airports
<https://github.com/gryphius/ch-loc> - Oli Schacher's Swiss location stuff
<https://www.daemon.be/maarten/dnstunnel.html> - Discussion of DNS tunneling
<https://coord.info/GC615NM> - Geocache
<https://github.com/hiway/txtrex> - blogging via DNS (Harshad Sharma - @hiway)
<https://gist.github.com/Manawyrm/718cf8ab6ba59ba95d9743d01b1763dd> - MP3 streaming
<https://github.com/varrick/iodine> - iodine - IP over DNS
<https://github.com/veggiedefender/browsertunnel> - HTTP over DNS
<https://www.lastweekinaws.com/podcast/aws-morning-brief/whiteboard-confessional-route-53-db/> - DNS for config management
<https://play.google.com/store/apps/details?id=com.in.troiddns> - SlowDNS - VPN over DNS
<https://dnssky.com/> - DNS Key Value Storage
<https://github.com/iagox86/dnscat2> - dnscat2
<https://bimi.agari.com/> - Brand Indicator Records
<https://tools.ietf.org/id/draft-blank-ietf-bimi-00.html> - BIMl draft
<https://www.num.uk/> - num.uk business
<https://www.numprotocol.com/> - the NUM protocol
<https://github.com/benjojo/dnsfs> - DNSFS
<https://xkcd.com/1361/>
<https://team-cymru.com/community-services/ip-asn-mapping/#dns> - IP to ASN mapping
<https://github.com/pgl/rule53> - Rule53 list on GitHub
<https://twitter.com/pgl/status/1405614755000295427> - Twitter thread

Questions?



Principal ~~Museum of DNS~~ Curator
Security Researcher @ **DNSFilter**

twitter.com/pgl

peter@dnsfilter.com